

Dimensions

	METRICS	IMPERIAL
Reach	310 cm	122 inches
Max height	440 cm	? inches
Min height	-180 cm	? inches
Floor embase	200 x 120 cm (200 x 80 cm without wheels)	78 x 47 inches (78 x 31 inches without wheels)

Capacities

- Highspeed / Timelapse
- Repeatable
- +/- 0.01 mm precision
- Scale/time changing
- DMX triggering
- Indoor - outdoor
- Audio/video sync
- Unlimited moves
- Import/Export of 3D cameras
- Previs 3D
- Robotized follow Focus
- Speed : 3 m/s

Power supply

3 phased outlet 380V
 (Marshal or P17)
 (Generator set in option)

Weight

	METRICS	IMPERIAL
Carried weight	20 Kg max	40 Lbs max
Robot	1100 Kg	2200 Lbs

Timing

Installation ready to shoot : 20 min
 Simple move creation : 2 min
 Changing robot position on floor : 5 min



FAST SETUP



TOTAL SPAN



Dimensions

	METRICS	IMPERIAL
Reach	160 cm	63 inches
Max height	255 cm	100.5 inches
Min height	0 cm	0 inches
Floor embase	115 x 115 cm	45 x 45 inches

Power supply

3 phased outlet 380V
(Marshal or P17)
(Generator set in option)

Weight


	METRICS	IMPERIAL
Carried weight	20 Kg max	40 Lbs max
Robot	475 Kg	1047 Lbs
Ballast (side setup)	180 Kg	390 Lbs

Timing

Installation ready to shoot : 20 min
Simple move creation : 2 min
Changing robot position on floor : 5 min



FAST SETUP



TOTAL
SPAN

Capacities

- Highspeed / Timelapse
- Repeatable
- +/- 0.01 mm precision
- Scale/time changing
- DMX triggering
- Indoor - outdoor
- Audio/video sync
- Unlimited moves
- Import/Export of 3D cameras
- Previs 3D
- Robotized follow Focus
- Speed : 3 m/s



Dimensions

	METRICS	IMPERIAL
Reach	140 cm	55.2 inches
Max height	255 cm	100.4 inches
Min height	10 cm	2 inches
Floor embase	65 x 65 cm	26 x 26 inches

Capacities

- Highspeed / Timelapse
- Repeatabl
- +/- 0.01 mm precision
- Scale/time changing
- DMX triggering
- Indoor - outdoor
- Audio/video sync
- Unlimited moves
- Import/Export of 3D cameras
- Previs 3D
- Robotized follow Focus
- Speed : 3 m/s

Power supply

Standard outlet 220V

Weight

	METRICS	IMPERIAL
Carried weight	10 Kg max	20 Lbs max
Robot	525 Kg	1157.4 Lbs
Ballast (side setup)	60 Kg	132 Lbs

Timing

Installation ready to shoot : 20 min
 Simple move creation : 2 min
 Changing robot position on floor : 5 min



STANDARD
OUTLET



COMPACT

